

## ADVAN A050

---

It's designed to heat up quickly, with a soft and medium compound.



A050 Range	Compound	Rim Min Size	Rim Max Size	Overall Width (mm)	Overall Diameter (mm)
175/60R13 77H	Medium	5.0	6.0	179	537
185/60R14 82H	Soft	5.5	6.5	190	575
185/60R14 82H	Medium	5.5	6.5	190	575
195/60R14 86H	Soft	6.0	6.5	202	586
195/60R14 86H	Medium	6.0	6.5	202	586
185/55R14 80V	Medium	6.0	6.5	194	560
195/55R15 85V	Medium	6.0	7.0	203	594
195/50ZR15 82V	Soft	6.0	6.5	203	574
195/50R15 82V	Medium	6.0	6.5	203	574
195/55R15 85V	Medium	6.0	7.0	203	595
205/50ZR15 86V	Soft	6.5	7.5	212	587

205/50R15 86V	Medium	6.5	7.5	212	587
215/50R15 88V	Medium	7.0	7.5	221	597
225/50ZR15 91V	Soft	7.0	8.0	232	606
225/50R15 91V	Medium	7.0	8.0	232	606
205/50ZR16 87V	Soft	6.5	7.5	212	609
205/50R16 87V	Medium	6.5	7.5	212	609
215/50R16 90V	Soft	7.0	7.5	221	622
215/50R16 90V	Medium	7.0	7.5	221	622
225/45ZR16 ZR	Soft	7.5	8.0	232	605
225/45R16 89W	Medium	7.5	8.0	232	605
215/45R17 87W	Medium	7.0	8.0	221	623
225/45ZR17 ZR	Soft	7.5	8.5	232	631
235/45ZR17 ZR	Soft	8.0	8.5	244	642
235/45R17 94W	Medium	8.0	8.5	244	642
245/40R17 91W	Medium	8.5	9.5	252	629
255/40ZR17 ZR	Soft	9.0	9.5	263	637
255/40R17 94W	Medium	9.0	9.5	263	637
225/40R18 88W	Medium	8.0	9.0	232	635

235/40ZR18 ZR	Soft	8.5	9.0	244	645
235/40R18 91W	Medium	8.5	9.0	244	645
245/40ZR18 ZR	Soft	8.5	9.5	252	650
245/40R18 93W	Medium	8.5	9.5	252	650
255/40ZR18 ZR	Soft	9.0	10.0	263	659
255/40R18 95W	Medium	9.0	10.0	263	659
265/35ZR18 ZR	Soft	9.0	10.5	274	641
265/35R18 93W	Medium	9.0	10.5	274	641
295/30R18 ZR	Soft	10.5	11.0	305	633
295/30R18 94W	Medium	10.5	11.0	305	633
295/35R18 99W	Soft	10.5	11.0	305	664
295/35R18 99W	Medium	10.5	11.0	305	664