

CR6ZZ

Road Legal Tyres:

The CR6ZZ is a range of road legal radial competition tyres suitable for classic performance cars. They are an all-weather tyre designed to be used for competition driving in disciplines such as classic road rallying, trackdays and circuit racing. Available in a wide range of high profile sizes appropriate for the period. A range covering everything from minis and MGBs to Austin Healey 3000 and Ford GT40s. Although the CR6ZZ uses competition compounds the aesthetics of the tyre are very much in keeping with the cars they are intended to fit.



- Confidence inspiring, wet weather performance.
- An appropriate level of dry grip for the period, to avoid overloading suspension components.
- Road legal.
- Classic tread pattern design.
- List 1B permitted race tyre.
- Competition tread compound.
- Designed specifically to complement the chassis characteristics of classic and historic performance cars.

TYRE SIZE	SERVICE INDEX	RIM CHOICE	RIM USED	MEASURED AT		DIAMETER		SECTION		TREAD		REVOLUTIONS	
				psi	bar	ins	mm	ins	mm	ins	mm	mile	km
165/70R10	72H	4.0 – 5.5	5	30	2.1	19.4	493	6.5	165	5.2	131	1039	646
175/70R13	82H	4.5 – 6.0	5	30	2.1	22.85	580	6.9	175	4.9	125	883	549
185/70R13	86H	4.5 – 6.0	5.5	30	2.1	22.8	579	7.3	186	5.5	139	885	550
185/70R14	88H	4.5 – 6.0	5.5	30	2.1	24.6	625	7.7	195	5.7	146	820	509
155R15	82H	4.0 – 5.0	4.5	30	2.1	24.95	634	6.2	158	4.3	110	808	502
175/70R15	86H	4.5 – 6.0	5	30	2.1	25.05	636	7.16	182	6.41	163	805	500
185/70R15	89V	4.5 – 6.0	6	30	2.1	25.35	644	7.79	198	6.45	164	796	494

215/60R15	94V	6.5 – 7.5	6.5	30	2.1	25	635	8.7	222	7.1	180	807	501
225/60R15	96V	6.0 – 8.0	6.5	30	2.1	25.7	653	9.13	232	8.07	205	785	488
225/65R15	99V	6.0 – 8.0	6.5	30	2.1	26.7	678	9.1	231	7.2	182	756	470
245/60R15	101V	7.0 – 8.5	7	30	2.1	26.7	678	9.8	250	8.4	214	756	470
205/70R15	96V	5.0 – 7.0	6	30	2.1	26.6	676	8.4	213	6.3	160	758	471
215/70R15	98V	5.5 – 7.0	6.5	30	2.1	26.7	678	9	229	6.9	176	756	470
275/55R15	104V	8.0 – 10.0	8.5	30	2.1	26.95	685	11	280	9.2	234	748	465
295/50R15	108V	8.5 – 10.5	9.5	30	2.1	26.95	685	12	305	10	255	748	465

Motorsport — Avon — CR6ZZ

Avon Tyres Motorsport produces slick tyres in a variety of different compounds, with each compound aimed at a specific area of motorsport. This gives us the flexibility to provide highly tailored products to individuals needs. Below is a guide on compounds from hard to soft in descending order.

Note – Compound variant is only available in our slick tyre range

Remember – Softer compound does not always equal faster lap times

Stiffness	Compound	Application
Hard	A70	Ultra Hard compound for saloon car circuit slick applications.
	A29	Very Hard compound for saloon car circuit slick applications.
	A60	Medium compound for saloon car circuit slick applications.
	A30	Medium compound for classic applications.
	A37	Hard compound for sportscar, Soft compound for saloon car applications.
	A56	Hard compound for sportscar / single seater circuit slick.
	514	Medium / Hard compound for single seater and sportscar circuit slick.

	A24	Medium compound for single seater, sportscar and sidecar circuit slick applications.
	A11	Medium compound for single seater, sportscar and sidecar circuit slick applications.
	A53	Soft compound for single seater and sidecar circuit slick applications.
	A43	Hard compound for single seater circuit wet. Soft compound for sportscar.
	379	Hard GT Hillclimb Compound
	A49	Medium / Soft compound for rallycross, single seater circuit.
	A50	Medium GT Hillclimb Compound.
	A15	Very soft compound for hillclimb slick / wet single seater circuit and sidecar wet applications.
	A92	Very soft compound for hillclimb slick / wet single seater circuit and sidecar wet applications.
Soft	A45	Ultra soft compound for hillclimb slick / wet applications. Special Order Only